PH:EGH II-6

DEPARTMENT OF COMMERCE NATIONAL BUREAU OF STAYDARDS WASHINGTON

Letter Circular LC 679

Revised to February 7, 1942

THERIAL EXPANSION OF SOLIDS:
PUBLICATIONS BY MEMBERS OF THE STAFF
OF THE NATIONAL BUREAU OF STANDARDS

Contents

Page

I.	General information	1
II.	Publications of the National Bureau of Standards -	2
	l. Scientific papers	3
	2. Technologic papers	5
	3. Research papers	6
	4. Circulars 1	.1
III.	Articles published in outside journals 1	_2
IV.	Subject index 1	-9

I. GENERAL INFORMATION

The publications of the National Bureau of Standards for which prices are indicated may be purchased from the Superintendent of Documents, United States Government Printing Office. Washington, D. C. The prices quoted are for delivery to addresses in the United States, its territories and possessions, and in certain foreign countries which extend the franking privilege. In the case of all other countries, one-third the price of the publication should be added to cover postage. Remittances for publications (marked with a price) should not be made to the Department of Commerce or the National Bureau of Standards, but should be made directly to the Superintendent of Documents, United States Government Printing Office, Washington, D. C., by coupons (for sale by the Superintendent of Documents), postal money order, express order, or check. Currency may be sent at sender's risk. Foreign remittances should be made either by international money order or draft on an American bank. Foreign currency and foreign or domestic stamps will not be accepted.

"OP" in the column marked "Price" indicates that the publication is out of print, but may be consulted at depository libraries which have been designated by Congress to receive copies, as issued, of publications printed by the Government for public distribution.

"Outside publications" are not for distribution or sale by the Government. The National Bureau of Standards cannot supply copies of "outside" journals or reprints from them, and it is unable to furnish information as to their availability or price. These publications may be consulted at technical libraries or in some cases may be purchased directly from the publishers.

Series letters with serial numbers are used to designate publications of the National Bureau of Standards:

S = "Scientific Paper". Sl to S329 are "Reprints" from the "Bulletin of the Bureau of Standards". S330 to S572 were published as "Scientific Papers of the Bureau of Standards". This series was superseded by the "Bureau of Standards Journal of Research" in 1928.

T = "Technologic Paper". The T370. This series was superseded by the "Bureau of Standards Journal of Research" in 1928.

RP = "Research Paper". RPl to RP690 are reprints from the "Bureau of Standards Journal of Research". Research papers since July 1934 are reprints from the "Journal of Research of the National Bureau of Standards".

C = Circular.

Circular C24 and supplements give the complete list of the publications of the National Bureau of Standards (1901-1936), and may be purchased for 55 cents from the Superintendent of Documents, Government Printing Office, Washington, D. C. Announcement of new publications is made each month in the Technical News Bulletin of the National Bureau of Standards, which is obtainable from the Superintendent of Documents by subscription at 50 cents per year.

II. PUBLICATIONS OF THE NATIONAL BUREAU OF STANDARDS

The numbers assigned (for example, S352, T349, RP62) are the actual reprint numbers by which the National Bureau of Standards and the Government Printing Office lists and sells, respectively, the separate papers (reprints). In ordering Government publications from the Superintendent of Documents, Government Printing Office, Washington, D. C., please use the letter in connection with the number and title of the publication; for example, "S515, Thermal expansion of tungsten".

1. SCIENTIFIC PAPERS		
With the field of	Series	Price
A simplified formula for the change in order of interference due to changes in temperature of air. I. G. Priest. Bul. BS 9 (1913)	S 199	5 ¢
Micrometer microscopes. A. W. Gray. Bul. BS 10 (No. 3, 1914)	S 215	25 / *
Production of temperature uniformity in an electric furnace. A. W. Gray. Bul. BS 10, 451 (No. 4, 1914)	S 219	25 / ₂ *
Protected thermoelements. A. W. Gray. Bul. BS 13 (No. 2, 1916)	S 276	25 ¢ *
Thermal expansion of alpha and of beta brass between 0 and 600° C, in relation to the mechanical properties of heterogeneous brasses of the Muntz metal type. P. D. Merica and L. W. Schad. Bul. BS 14, 571 (No. 4, 1919)	S 321	25 ¢ *
Preliminary determination of the thermal expansion of molybdenum. L. W. Schad and P. Hidnert. Sci. Pap. BS 15, 31 (1919-20).	S 332	OP
Heat treatment of duralumin. P.D. Merica, R. G. Waltenberg, and H. Scott. Sci. Pap. BS 15, 271 (1919-20). See page 297 for data on thermal expansion by P. Hidnert.	S 347	0P
Thermal expansion of insulating materials. W. H. Souder and P. Hidnert. Sci. Pap. BS 15, 387 (1919-20)	S 352	10 ¢
A new interferential dilatometer. I. G. Priest. Sci. Pap. BS <u>15</u> , 669 (1919-20)	s 365	5 ¢
Measurements of thermal dilatation of glass at high temperatures. C. G. Peters and C. H. Cragoe. Sci. Pap. BS 16, 449 (1920)	S 393	OP
Thermal expansion of copper and some of its important industrial alloys. P. Hidnert. Sci. Pap. BS 17, 91 (1922)	S 410	25 ¢

^{*} For Quarterly number of the Bulletin in which the Scientific Paper appeared. This paper is not for sale as a separate paper.

SCIENTIFIC PAPERS (Cont'd)

	Series	Price
Thermal expansion of nickel, Monel metal, stellite, stainless steel, and aluminum. W. H. Souder and P. Hidnert. Sci. Pap. BS 17, 497 (1922)	·S 426	10 ¢
Thermal expansion of a few steels. W. Souder and P. Hidnert. Sci. Pap. BS 17, 611 (1922)	S 433	OP `
Application of the interferometer to measurements of the thermal dilatation of ceramic materials. G. E. Merritt. Sci. Pap. BS 19, 357 (1923-24)	S 485	.0P
Thermal expansion of molybdenum. P. Hidnert and W. B. Gero. Sci. Pap. BS 19, 429 (1923-24)	S 488	10 ¢
Thermal expansion of aluminum and various important aluminum alloys. P. Hidnert. Sci. Pap. BS 19, 697 (1923-24)	S 497	OP
Thermal expansion of tungsten. P. Hidnert. Sci. Pap. BS 20, 483 (1924-26)	S 515	5 ¢
Measurements of the index of refraction of glass at high temperatures. C. G. Peters. Sci. Pap. BS 20, 635 (1924-26)	S 521	10 ¢
Pure zinc at normal and elevated temperatures. J. R. Freeman, Jr., F. Sillers, Jr., and P. F. Brandt. Sci. Pap. BS 20, 661 (1924-26). See page 663 for data on thermal expansion by W. Souder and P. Hidnert.	S 522	OP
Measurements on the thermal expansion of fused silica. W. Souder and P. Hidnert. Sci. Pap. BS 21,1(1926-27)	S 524	10 ¢
Density and electrical properties of the system, rubber-sulphur. H. L. Curtis, A. T. McPherson and A. H. Scott, Sci. Pap. BS 22, 383 (1927-28)	S 560	15 ¢
Thermal expansion of beryllium and aluminum- beryllium alloys. P. Hidnert and W. T. Sweeney. Sci. Pap. BS 22, 533 (1927-28)	S 565	.10 ¢.

SCIENTIFIC PAPERS (Cont'd)

	Series	Price
Thermal expansion of alloys of the "stainless iron" type. P. Hidnert and W. T. Sweeney. Sci. Pap. BS 22, 639 (1927-28)	.S 570 -	10 &
2. TECHNOLOGIC PAPERS		
Observations on finishing temperatures and properties of rails. G. K. Burgess, J. J. Crowe, H. S. Rawdon, and R. G. Waltenberg. Tech. Pap. BS 4 (1914). See discussion in Trans. Am. Inst. Min. Eng. 50, 306 (1915)	Т 38	35 ¢
Comparative tests of chemical glassware. P. H. Walker and F. W. Smither. Tech. Pap. BS 10 (1918). Data on thermal expansion by C. G. Peter	T 107	OP .
Physical and chemical tests on the commercial marbles of the United States. D. W. Kessler. Tech. Pap. BS 12 (1919). See section XX for data on thermal expansion by L. W. Schad and P. Hidnert.	T .123	OP
Cements for spark-plug electrodes. H. F. Staley. Tech. Pap. BS 13 (1920)	Т 155	OP
An investigation of the physical properties of dental materials. W. H. Souder and C. G. Peters. Tech. Pap. BS 13 (1920)	Т 157.	10 ¢
Porosity and volume changes of clay fire bricks at furnace temperatures. G. A. Loomis. Tech. Pap. BS 13 (1920)	Т 159	OP .
Thermal stresses in chilled iron car wheels. G. K. Burgess and R. W. Woodward. Tech. Pap. BS 16, 193 (1921-22). Data on thermal expansion by W. H. Souder and P. Hidnert.	T 209	OP ·
Properties of electrical insulating materials of the laminated phenol-methylene type. J. H. Dellinger and J. L. Preston. Tech. Pap. BS 16, 501 (1921-22). Data on thermal expansion by W. H. Souder and P. Hidnert.	T 216	OP

TECHNOLOGIC PAPERS (Cont'd)		
	Series	Price
Thermal stresses in steel car wheels. G. K. Burgess and G Quick. Tech. Pap. BS 17, 367 (1922-24). See pages 371 and 372 for data on thermal expansion of rolled steel wheels by W. H. Souder and P. Hidnert, and of a c st steel wheel by C. G. Peters	Т 235	OP
Properties of potters' flints and their effects in white-ware bodies. E. D. Pressler and V. L. Shearer. Tech. Pap. BS 20, 289 (1925-26). See page 304 for data on thermal expansion by interferometry section of Bureau of Standards.	Т 310	OP
Thermal expansion of graphite. P. Hidnert and W. T. Sweeney. Tech. Pap. BS 21, 223 (1926-27)	T 335	OP
Physical properties of the principal commercial limestones used for building construction in the United States. D. V. Kessler and W. H. Sligh. Tech. Pap. BS 21, 497 (1926-27). See page 522 for data on thermal expansion by V. H. Souder and P. Hidnert.	T 349	30 ¢
	•	
Thermal expansion of magnesium and some of its alloys. P. Hidnert and W. T. Sweeney: BS J. Research 1, 771 (1928)	RP 29	OP
Physical properties of dental materials (gold alloys and accessory materials). R. L. Coleman. BS J. Research <u>1</u> , 867 (1928)	RP 32	35 ¢
Fire resistance of hollow load-bearing wall tile. S. H. Ingberg and H. D. Foster. BS J. Research 2, 1 (1929)		75 ¢
Thermal expansion of tantalum. P. Hidnert. BS J. Research 2, 887 (1929)	RP 62	·5 ¢
Preparation of experimental sagger bodies according to fundamental properties. R.A. Heindl and L. E. Hong. BS J. Research 3, 419 (1929)	RP 104	OP ,
Progress report on investigation of fire-clay bricks and the clays used in their preparation. R. A. Heindl and W. L. Pendergast. BS J. Research 3, 691 (1929)	RP 114	15 ¢

	Series	Price
Melting, mechanical working, and some physical properties of rhodium. W. H. Swanger. BS J. Research 3, 1029 (1929). See page 1039 for data on thermal expansion by W. T. Sweeney.	RP 127	10 ¢
Fire clays; some fundamental properties at several temperatures. R. A. Heindl and V.L. Pendergast. BS J. Research 5, 213 (1930)	RP 194	10 ¢
Dimensional changes caused in glass by heating cycles. A. Q. Tool, D. B. Lloyd, and G. E. Merritt. BS J. Research 5, 627 (1930)	RP 219	10 ¢
The properties of pure nickel. L. Jordan and W. H. Swanger. BS J. Research 5, 1291 (1930). See page 1305 for data on thermal expansion by P. Hidnert.	RP 257	10 ¢
Dimensional changes in the manufacture of electrolytes. N. Bekkedahl and W. Blum. BS J. Research 6, 829 (1931)	RP 308	10 ¢
Volume changes in brick masonry materials. L. A. Palmer. BS J. Research <u>6</u> , 1003 (1931)	RP 321	10 ¢
The determination of the coefficient of cubical expansion of solid benzoic acid by means of a gas-filled dilatometer. E. R. Smith. BS J. Research 7, 903 (1931)	RP 382	OP
The life of the sagger as affected by varying certain properties. R. A. Heindl and L. E. Mong. BS J. Research 7, 1017 (1931)	RP 387	OP
Thermal expansion of heat-resisting alloys: nickel-chromium, iron-chromium, and nickel-chromium-iron alloys. P. Hidnert. BS J. Research 7, 1031 (1931)	RP 388	25 ¢
A method for determining the volume changes occurring in metals during casting. C. M. Saeger, Jr., and E. J. Ash. BS J. Research 8, 37 (1932)	RP 399	10 ¢
Kaolins; effect of firing temperatures on some of their physical properties. R. A. Heindl, W. L. Pendergast, and L. E. Long. BS J. Research 8, 199 (1932)	RP 410	5 ¢

	Series	Price
Volume changes of cast irons during casting. E. J. Ash and C. M. Saeger, Jr. BS J. Research 8, 601 (1932)	RP 440	5 ¢
Thermal expansion of some silicates of elements in Group II of the periodic system. R. F. Geller and H. Insley. BS J. Research 9, 35 (1932)	RP 456	OP
"Moisture expansion" of ceramic white ware. R. F. Geller and A. S. Creamer. BS J. Research 9, 291 (1932)	RP 472	OP
A study of some ceramic bodies of low absorption maturing at temperatures below 1000° C. R. F. Geller and D. N. Evans. BS J. Research 9, 473 (1932)	RP 483	OP
Thermal expansion of lead. P. Hidnert and W. T. Sweeney. BS J. Research 9, 703 (1932)	RP 500	5 ¢
The interference method of measuring thermal expansion. G. E. Merritt. BS J. Research 10, 59 (1933)	RP 515	5 ¢
The thermal expansion of refractories to 1800° C. R. A. Heindl. BS J. Research 10, 715 (1933)	RP 562	5 ¢
Thermal expansion of columbium. P. Hidnert and H. S. Krider. BS J. Research 11, 279 (1933)	RP 590	5 ¢
Effects of particle size of a potter's "flint" and a feldspar in whiteware. R. F. Geller, D. N. Evans, and A. S. Creamer. BS J. Research 11, 327 (1933)	RP 594	OP
Effect of heat treatment on the expansivity of a Fyrex glass. J. B. Saunders and A. Q. Tool. BS J. Research 11, 799 (1933)	RP 626	OP
Olivine as a refractory. R. A. Heindl. BS J. Research 12, 215 (1934)	RP 645	5 ¢
Thermal expansion of bearing bronzes.P. Hidnert. BS J. Research 12, 391 (1934)	RP 665	5 ¢
Thermal expansions of some soda-lime-silica glasses as functions of the composition. B. C. Schmid, A. N. Finn, and J. C. Young. BS J. Rusearch 12, 421 (1934)	RP 667	OP

	Series	Price
Thermal expansion of artificial graphite and carbon. P. Hidnert. J. Research NBS 13, 37 (1934)	RP 693	5 ¢
The System: PbO - SiO ₂ . R. F. Geller, A. S. Creamer, and E. N. Bunting. J. Research NBS 13, 237 (1934)	RP 705	OP
Forms of rubber as indicated by the temperature volume relationship. N. Bekkedahl. J. Research NBS 13, 411 (1934)	RP 717	5 ¢
Autographic thermal expansion apparatus. W. Souder. P. Hidnert, and J. F. Fox. J. Research NBS 13, 497 (1934)		5 ¢
Compression tests of structural steel at elevated temperatures. P. D. Sale. J. Research NBS 13, 713 (1934)	RP 741	OP
Calibrations of the line standards of length of the National Bureau of Standards. L. V. Judson and B. L. Page. J. Research NBS 13, 757 (1934)	RP 743	5 ¢
Young's modulus of elasticity at several temperatures for some refractories of varying silica content. R. A. Heindl and W. L. Pendergast. J. Research NBS 13, 851 (1934)	RP 747	5 ¢
Specific volume, compressibility, and volume thermal expansivity of rubber-sulphur compounds. A. H. Scott. J. Research NBS 14, 99 (1935)	RP 760	5 ¢
Index of refraction, density, and thermal expansion of some soda-alumina-silica glasses as functions of the composition. C. A. Faick, J. C. Young, D. Hubbard, and A. N. Finn. J. Research NBS 14, 133 (1935)	RP 762	OP
Thermal expansion of monocrystalline and polycrystalline antimony. P. Hidnert. J. Research NBS <u>14</u> , 523 (1935)	RP 784	5 ¢
A study of sagger clays and sagger bodies. R. A. Heindl. J. Research NBS 15, 255 (1935)	RP 827	5 ¢
Electrical-resistance alloys of copper, manganese, and aluminum. J. L. Thomas. J. Research NBS 16, 149 (1936). See page 159 for data on thermal expansion by P. Hidnert.	RP 863	5 ¢

	Series	Price
Thermal expansion of copper-beryllium alloys. P. Hidnert. J. Research NBS <u>16</u> , 529 (1936)	RP 890	5 ¢
Thermal expansion of lead-antimony alloys. P. Hidnert. J. Research NBS 17, 697 (1936)	RP 938	10 ¢
Some physical properties of isoprene. N. Bekkedahl, L. A. Wood, and M. Wojciechowski. J. Research NBS 17, 883 (1936)	RP 951	5 ¢
Thermal expansion of cemented tungsten carbide. P. Hidnert. J. Research NBS <u>18</u> , 47 (1937)	RP 960	5 ¢
Some "soft" glazes of low thermal expansion. R. F. Geller, E. N. Bunting, and A. S. Creamer. J. Research NBS 20, 57 (1938)	RP 1064	5 ¢
Fire-clay ladle sleeves. R. A. Heindl and G. J. Cooke. J. Research NBS 20, 411 (1938)	RP 1084	oP
Thermal expansion and effects of heat treat- ments on the growth, density and structure of some heat-resisting alloys. P. Hidnert. J. Research NBS 20, 809 (1938)	RP 1106	25 ¢ *
Expansion effects on the inversion of silica crystals in certain devitrified glasses. A. Q. Tool and J. B. Saunders. J. Research NBS 21, 773 (1938)	RP 1153	5 ¢
Thermal-expansion characteristics of some ground-coat enamel frits. V. N. Harrison, B. J. Sweo and S. M. Shelton. J. Research NBS 22, 127 (1939)	RP 1172	5 ¢
Improved interferometric procedure with application to expansion measurements. J. B. Saunders. J. Research NBS 23, 179 (1939)	RP 1227	10 ¢
Length changes and endothermic and exothermic effects during heating of flint and aluminous clays. R. A. Heindl and L. Í. Hong. J. Research NBS 23, 427 (1939)	RP 1243	5 ¢
Application of the interferometer to the measurement of dimensional changes in rubber. L. A. Wood, N. Bekkedahl, and C. G. Peters. J. Research NBS 23, 571 (1939)	RP 1253	5 ¢

^{*} For June number of the Journal in which the Research Paper appeared. This paper is not for sale as a separate paper.

RESEARCH PAPERS (Cont'd)		
	Series	Price
Thermal expansion of some chromium-vanadium steels. P. Hidnert. J. Research NBS 24, 25 (1940)	RP 1269	5 ¢
Length changes of whiteware clays and bodies during initial heating, with supplementary data on mica. R. F. Geller and E. N. Bunting. J. Research NBS 25, 15 (1940)	RP 1311	10 ¢
Thermal expansion of electrolytic chromium. P. Hidnert. J. Research NBS 26, 81 (1941)	RP 1361	5 ¢
Some factors affecting the properties of ceramic talcose whiteware. R. F. Geller and A. S. Creamer. J. Research NBS 26, 213 (1941)	RP 1371	10 ¢
Comparative tests of chemical glassware. E. Wichers, A. N. Finn, and W. S. Clabaugh. J. Research NBS 26, 537 (1941). See page 539 for data on thermal expansion by P. Hidnert, L. H. Maxwell, and J. B. Saunders.	RP 1394	10 ¢
Thermal expansion of cast and of swaged chromium. P. Hidnert. J. Research NBS 27, 113 (1941)	RP 1407	5 ¢
Thermal expansion of clay building bricks. C. W. Ross. J. Research NBS 27, 197 (1941)	RP 1414	10 ¢
Thermal expansion studies of boric oxide glass and of crystalline boric oxide. J. J. Donoghue and D. Hubbard. J. Rosearch NBS 27, 371 (1941)	RP 1425	5 ¢
A resistor furnace, with some preliminary results up to 2000° C. R. F. Geller. J. Research NBS 27, 555 (1941). Data on thermal expansion by A. S. Creamer.	RP 1443	5 ¢
Expansivity of a Vycor brand glass. J. B. Saunders. J. Research NBS 28, 51 (1942)	RP 1445	5 ¢
4. <u>CIRCULARS</u>		
Invar and related nickel steels (2nd edition). Circular BS No. 58 (1923)	C 58	OP
Testing of line standards of length. L. V. Judson. Circular BS No. 332 (1927)	C 332	10 ¢
Physical properties of dental materials. W. Souder and G. C. Paffenbarger. Circular NBS C433 (1941)	C433	75 ¢

III. ARTICLES PUBLISHED IN OUTSIDE JOURNALS

The reference numbers (for example, OJ-1, OJ-2, etc.) in the following lists of publications in outside journals, are merely arbitrary numbers assigned here to indicate sequence in this letter circular and for easy reference in the index. They have nothing to do with any designating numbers which may be applied by the publishers.

Bulletin of the American Ceramic Society (2525 North High St., Columbus, Ohio)

		Reference No.
Effect of repeated heatings on the mechanof high-tension insulator porcelains. R Bul, Am. Ceramic Soc. 12, 18 (1933)		th OJ-1
Journal of the America Cera (2525 North High St., Columbi	nic Society us, Ohio)	
Relation between the composition and the pansivity of porcelains. F. H. Riddle. Ceramic Soc. 2, 804 (1919). Data on the pansion by W. H. Souder and P. Hidnert.	J. Am.	OJ-2
The causes and control of fish scaling of sheet iron and steel. R. R. Danielson and Souder. J. Am. Ceramic Soc. 4, 620 (1921)	nd W. H.	r 0J-3
Thermal expansion of fused quartz. G. E J. Am. Ceramic Soc. 7, 803 (1924)	. Merritt.	0J-4
A study of mullite refractories formed by cyanite, their industrial application. If J. Am. Ceramic Soc. 9, 249 (1926)		OJ-5
Interferometer measurements of the therms of glazed ware. G. E. Merritt and C. G. J. Am. Ceramic Soc. 9, 327 (1926)		n 0J-6
Progress report on investigation of sagge Some observations as to the significance thermal expansion. R. F. Geller and R. A J. Am. Ceramic Soc. 9, 555 (1926)	of their	OJ-7
The effect of calcined cyanite in porcela S. J. NcDowell and E. J. Vachuska. J. A. Soc. 10, 64 (1927)		OJ-8
Bureau of Standards investigation of feld Second progress report. R. F. Geller. C Ceramic Soc. 10, 411 (1927)	lspar J. Am.	0 J- 9

Journal of the American Ceramic Society (Cont'd)

Re	ference No.
Hethods for testing crazing of glazes caused by increases in size of ceramic bodies. H. G. Schurecht. J. Am. Ceramic Soc. 11, 271 (1928)	OJ-10
Progress report on investigation of sagger clays. Preparation of experimental bodies according to fundamental properties. R. A. Heindl and L. E. Hong. J. Am. Ceramic Soc. 12, 457 (1929)	OJ-11
Progress report on investigation of fireclay brick and the clays used in their preparation. R. A. Heindl and W. L. Pendergast. J. Am. Ceramic Soc. 12, 640 (1929)	OJ-12
The influence of chemical composition on the physical properties of glazes. F. P. Hall. J. Am. Ceramic Soc. <u>13</u> , 182 (1930)	OJ13
Fire clays. Some fundamental properties at several temperatures. R. A. Heindl and W. L. Pendergast. J. Am. Ceramic Soc. 13, 725 (1930)	OJ-14
Investigation of feldspar and its effect in pottery bodies. R. F. Geller and A. S. Creamer. J. Am. Ceramic Soc. <u>14</u> , 30 (1931)	OJ-15
Progress report on investigation of sagger clays. The life of the sagger as affected by varying certain properties. R. A. Heindl and L. E. Mong. J. Am. Ceranic Soc. 14, 867 (1931)	OJ-16
Selection of clays for saggers of predetermined resistance to thermal shock and prediction of sagger life in service. R. A. Heindl and L. E. Hong. J. Am. Ceramic Soc. 16, 601 (1933)	OJ-17

Transactions of the American Electrochemical Society (Columbia University, New York, N.Y.)

0J-18

Talc in whiteware bodies of the wall-tile type.

R. F. Geller and A. S. Creamer. J. Am. Ceramic

Soc. 18, 259 (1935)

The thermal expansion of some fused oxides used as 0J-19 refractories. G. T. Merritt. Trans. Am. Mectrochem. Soc. 50, 165 (1926)

Transactions of the American Foundrymen's Association (Chicago, Ill.)

Reference No.

Methods for determining the volume changes undergone by metals and alloys during casting. C. M. Saeger, Jr., and E. J. Ash. Trans. Am. Foundrymen's Assoc. 38, 107 (1930)

OJ-20

Transactions of the American Institute of Metals (29 West 39th St., New York, N. Y.)

Physical tests on common high bracs taken parallel and at right angles to the direction of rolling. W. P. Price and P. Davidson. Trans. Am. Inst. Hetals 10, 133 (1916). See appendix (pages 151 to 164) for data on thermal expansion by L. W. Schad and P. Hidnert.

OJ-21

Transactions of the American Institute of Mining and Metallurgical Engineers (29 West 39th St., New York, M.Y.)

The coefficient of expansion of alloy steels, J. A. Mathews. Trans. Am. Inst. Min. Net. Ing. 67, 133 (1922). See page 135 for data on thermal expansion by P. Hidnert.

0J-22

Austenite and austenitic steels. J. A. Mathews. Trans. Am. Inst. Min. Het. Eng. 71, 568 (1925). See page 575 for data on thermal expansion by P. Hidnert and W. T. Sweeney (Chemical composition of samples C-25-0 and CM-21-7 should be changed to Cr 23.7, Ni 6.8 percent and Cr 26.5, Ni 0.34 percent, respectively).

0J-23

American Refractories Institute (Oliver Bldg., Pittsburgh, Pa.)

The significance of the elasticity and thermal expansion of fire-clays with reference to the spalling of the fired product. R. F. Geller. Am. Refractories Inst., Tech. Paper 4 (Oct. 1927)

OJ-24

Transactions of the American Society for Steel Treating (7016 Euclid Ave., Cleveland, Ohio)

Some effects of hydrogen on iron and their bearing on a reported transformation at 370 degrees Cent. (698 degrees Fahr.). H. S. Rawdon, P. Hidnert and W. A. Tucker. Trans. Am. Soc. Steel Treating 10, 233 (1926)

0J-25

Ceramic Industry (59 East Van Buren St., Chicago, Ill.)

Reference No.

Ceramic bodies of low absorption maturing below 1000 Deg. C. R. F. Geller and D. N. Evans. Ceramic Ind. 20, 32 (1933)

- 0J**-**26

The Chemical News
(Merton House, Salisbury Square, London, E.C.4, England)

Thermal expansion of tungsten. P. Hidnert and W. T. Sweeney. Chem. News 132, 144 (1926)

0J-27

Measurements on the thermal expansion of fused silica. W. Souder and P. Hidnert. Chem. News 133, 105 (1926)

0J-28

Industrial and Engineering Chemistry
(American Chemical Society, 20th & Northampton Sts.,
Easton, Penna.)

Comparative tests of chemical glassware. E. Wichers, OJ-29 A. N. Finn and W. S. Clabaugh. Ind. Eng. Chem., Analytical Edition, 13, 419 (1941). See page 419 for data on thermal expansion by P. Hidnert, L. H. Maxwell and J. B. Saunders.

Metals and Alloys (Reinhold Publishing Corp., East Stroudsburg, Pa.)

Some physical properties of commercial thorium.

J. G. Thompson. Metals and Alloys 4, 114 (1933).

See pages 117 and 118 for data on thermal expansion by P. Hidnert and W. T. Sweeney.

Metals Handbook of American Society for Metals (7016 Euclid Ave., Cleveland, Chio)

Coefficients of linear expansion of S.A.E. steels. 0J-31 Table compiled by A.S.M. Committee on Linear Expansion of Steels (P. Hidnert, Chairman, and following members: J. B. Austin, W. H. Brandt, H. Masumoto and A. Perard). 1939 Edition.

The Metal Industry
(The Louis Cassier Co., Ltd., 22 Henrietta St.,
Covent Garden, London, W.C. 2, England)

Thermal expansion of beryllium and aluminumberyllium alloys. P. Hidnert and W. T. Sweeney. Metal Ind. 32, pp. 397 and 423 (1928)

0J - 32

The Metal Industry (Cont'd)

Ref	erence No	
Thermal expansion of lead. P. Hidnert and W. T. Sweeney. Metal Ind. 42, 177 (1933)	T -3 3	
Thermal expansion of bearing bronzes. P. Hidnert. O. Metal Ind. 45, 57 (1934)	J - 34	
Thermal expansion of copper-beryllium alloys. P. Hidnert. Metal Ind. 49, 212 (1936)	T - 35	
Physical Review		
(Prince and Lemon Sts., Lancaster, Pa. or American Institute of Physics, 175 Fifth Ave., New York, N.Y.)		
A new type of apparatus for measuring linear expansion A. W. Gray. Phys. Rev. 34, 139 (1912)	. oJ-36	
American nickel steels of low thermal expansivity. A. W. Gray, D. H. Sweet and L. W. Schad. Phys. Rev. 7 (series 2), 685 (1916)	oJ-37	
Thermal expansion of marble. L. W. Schad. Phys. Rev. 10 (series 2), 74 (1917)	OJ-38	
Observations on the "hydrogen point" in iron. H. S. Rawdon and P. Hidnert. Phys. Rev. 25 (series 2), 898 (1925)	OJ-39	
Thermal expansion of beryllium. P. Hidnert and W. T. Sweeney. Phys. Rew. 29 (series 2), 616 (1927)	OJ-40	
Thermal expansion of some nickel steels. P. Hidnert and W. T. Sweeney. Phys. Rev. 29 (series 2), 911 (1927)	OJ-41	
Thermal expansion of "Carboloy". P. Hidnert. Phys. Rev. 35 (series 2), 120 (1930)	OJ-42	
Thermal expansion of lead. P. Hidnert and W. T. Sweeney, Phys. Rev. 35 (series 2), 296 (1930)	OJ-43	
Thermal expansion of copper-nickel-tin alloy. P. Hidnert and W. T. Sweeney. Phys. Rev. 35 (series 2), 667 (1930)	0J-44	
Thermal expansion of M-M-M alloy. P. Hidnert and W. T. Sweeney. Phys. Rev. 36 (series 2), 787 (1930)	OJ-45	

Physical Review (Cont'd)

Ref	erence No.	
Thermal expansion of electrolytic chromium. P. Hidnert. Phys. Rev. 39 (series 2), 186 (1932)	OJ - 46	
Thermal expansion of copper alloys. P. Hidnert. Phys. Rev. 39 (series 2), 551 (1932)	OJ-47	
Thermal expansion of nickel steels. P. Hidnert and H. S. Krider. Phys. Rev. 40 (series 2), 131 (1932)	OJ-48	
Thermal expansion of antimony. P. Hidnert and H. S. Krider. Phys. Rev. <u>42</u> (series 2), 911 (1932)	OJ-49	
Rock Products (Tradepress Publishing Corp., 309 W. Jackson Blvd., Chicago, Ill.)		
Volume changes of gypsum fiber concrete. H. F. McMurdie and F. L. Marsh. Rock Products 35 (No. 6), 20 (Mar. 26, 1932)	OJ-50	
Rubber Chemistry and Technology (20th & Northampton Sts., Easton, Pa.)		
Forms of rubber as indicated by the temperature volume relationship. N. Bekkedahl. Rubber Chem. Tech. 8, 5 (1935)	OJ-51	
Some physical properties of isoprene. N. Bekkedahl, L. A. Wood and M. Wojciechowski. Rubber Chem. Tech. 10, 451 (1937)	OJ-52	
Application of the interferometer to the measurement of dimensional changes in rubber. L. A. Wood, N. Bekkedahl and C. G. Peters. Rubber Chem. Tech. 13, 290 (1940)	OJ-53	
Journal of the Washington Academy of Sciences (450 Ahnaip St., Menasha, Wis.)		
New methods for displacement measurements and temperature uniformity applied to the determination of linear expansivity. A. W. Gray. J. Wash. Acad. Sciences 2, 248 (1912)	OJ-54	
Micrometer microscopes. A. W. Gray. J. Wash. Acad. Sciences 4,45 (1914)	OJ-55	

Journal of the Washington Academy of Sciences (Cont'd)

Reference No. The production of temperature uniformity in an 0J-56 electric furnace. A. W. Gray. J. Wash. Acad. Sciences 4, 134 (1914) World Engineering Congress (World Engineering Congress, Kogakkai, Marunouchi, Tokyo, Japan Precision machines and instruments for the measure-0J - 57ment of length. G. K. Burgess. Proc. World Eng. Congress, Tokyo 1929, 5, 1 (1931). See pages 30 to 33 for description of thermal expansion apparatus by W. Souder. Zeitschrift für Metallkunde (VDI-Verlag GmbH, Dorotheenstr. 40, Berlin NW 7, Germany) Thermische Ausdehnung von Beryllium und Beryllium-OJ-58 Alumini unlegierungen. P. Hidnert and W. T. Sweeney. Z. Metallkunde 20, 225 (1928), Translated into German by M. Haas, Aachen, Germany. Thermische Ausdehnung von Magnesium und Magnesium-0J-59 legierungen. P. Hidnert and W. T. Sweeney. Z. Metallkunde 21, 207 (1929). Translated into German by M. Haas, Aachen, Germany. Thermische Ausdehnung von Tantal. P. Hidnert. 0J-60 Z. Metallkunde 21, 395 (1929). Translated into German by M. Haas, Aachen, Germany. 0J-61 Thermische Ausdehnung von Blei. P. Hidnert and

W. T. Sweeney. Z. Metallkunde 24, 46 (1932). Translated into German by A. Schulze, Berlin,

Germany.

IV. SUBJECT INDEX

(Numbers refer to publications and not to pages.)

Α

Admiralty condenser tubes, S410 Admiralty nickel (or Adnic), 0J-44 Alloys, aluminum, S497 aluminum-beryllium, S565, OJ-32, OJ-58 aluminum-copper, S497, RP399 aluminum-manganese, S497 aluminum-manganese-copper, S497 aluminum-silicon, S497 aluminum-silicon-copper, S497 aluminum-silicon-copper-manganese, S497 aluminum-zinc, S497 copper, S410, 0J-47 copper-aluminum, 0J-20 copper-beryllium, RP890, 0J-35 copper-manganese-aluminum, RP863 copper-nickel-tin, OJ-44 copper-tin, S410, OJ-47 copper-tin-lead-zinc, RP665, 0J-47 copper-zinc, S410 gold-copper, RP32 gold-nickel, RP32 gold-silver, RP32 heat-resisting, RP388, RP1106 iron-chromium, S570, RP388 iron-chromium-aluminum, RP1106 iron-chromium-aluminum-cobalt, RP1106 lead-antimony, RP938 magnesium, RP29, 0J-59 magnesium-aluminum, RP29, 0J-59 magnesium-aluminum-manganese, RP29 nickel-chromium, RP388 nickel-chromium-iron, RP388 nickel-copper-tin-iron, 0J-45 nickel-manganese, T155 Nos. 1, 2, 4 and 502, RP388 tungsten carbide, cemented, RP960, 0J-42 Alumina, OJ-19 Aluminum, S426, S497, RP399, OJ-20 Aluminum alloys, S497 Aluminum-beryllium alloys, S565, OJ-32, OJ-58 Aluminum bronze, S410 Aluminum-copper alloys, S497, RP399 Aluminum-manganese alloys, S497 Aluminum-manganese-copper alloys, S497 Aluminum-silicon alloys, S497 Aluminum-silicon-copper alloys, S497

Aluminum-silicon-copper-manganese alloys, S497 Aluminum-zinc alloys, S497 Amalgams, dental, T157, C433 Anorthite, RP456 Antimony, RP784, OJ-49 Apparatus, cubical expansion, RP382, RP399, RP717, RP760, OJ-20, OJ-51 Apparatus, linear expansion, autographic, RP722 dial, OJ-50 fused-quartz tube and dial, RP29, 0J-7 interferometer, S365, S393, S485, S521, T157, RP1227, RP1253, RP1445, OJ-53 optical strain gage, RP1414 porcelain dilatometer, RP1311 precision micrometric, S219, S410, S524, OJ-36, OJ-54, OJ-57 to 1800°C, RP562 various types, 0J-57 Auxiliary expansion apparatus, electric furnace, S219, OJ-56 micrometer microscopes, S215, OJ-55 thermoelements, S276 Artificial stones, dental, RP32

В

Bakelite, S352
Bearing bronzes, RP665, OJ-34
Benzoic acid, RP382
Beryl, RP456
Beryllia, RP1443
Beryllium, S565, OJ-32, OJ-40, OJ-58
Boric oxide, crystalline, RP1425
Brasses, S321, S410, OJ-21
Brass, red, RP399
Brazing brass, S410
Bricks, commercial, OJ-24
Bronzes, S410
Bronzes, bearing, RP665, OJ-34

C

Calcium metasilicate, RP456
Calite, B, E, N, and S, RP388
Carboloy, RP960, OJ-42
Carbon, T335, RP693
Cartridge brass, S410
Celluloid, S352
Celsian (barium feldspar), RP456
Cemented tungsten carbide, RP960, OJ-42
Ceramic bodies, RP483, RP594, OJ-26
Ceramic bodies, glazed, OJ-10

Ceramic materials, S485, RP456 Ceramic materials, low-expanding, RP456 Ceramic talcose whiteware, RP1371 Ceramic whiteware, RP472 Chain bronze, S410 Chromax, RP388 Chromel A, RP388 Chromel, cast, RP388 Chromin D, RP388 Chromium, cast, swaged, RP1407 Chromium, electrolytic, RP1361, 0J-46 Chromium-vanadium steels, RP1269 Cimet, RP388 Clays, S485, RP387, OJ-17, OJ-24 aluminous, RP1243 ball, RP1311 fire, RP194 flint, RP1243 Clay bricks, RP321 Clay building bricks, RP1414 Clay fire bricks, T159 Columbium, RP590 Commercial brass, S410 Commercial bronze, S410 Condensite, S352 Copper alloys, S410 Copper, arsenical, S410 Copper, electrolytic, S410 Copper, mickeliferous, S410 Copper-aluminum alloy, 0J-20 Copper-beryllium alloys, RP390, 0J-35 Copper-manganese-aluminum alloy, RP863 Copper-nickel-tin alloy, OJ-44 Copper-tin alloys, S410, 0J-47 Copper-tin-lead-zinc alloys, RP665, 0J-47 Copper-zinc alloys, S410 Cordierite, RP456 Cyclops 17A, RP388 Cyanite, OJ-5

D

Dental materials, T157, RP32, C433 Denture base material, C433 Diaspore, RP1243 Dicalcium aluminum silicate, RP456 Dickite, RP410 Duralumin, S347, S497

 \mathbf{E}

F

Fahrite N-1 and CS, RP388
Feldspars, OJ-15
Feldspar bodies, OJ-9, OJ-15
Fire clays, RP114, RP194, RP1084, OJ-12, OJ-14, OJ-24
Fire clay bricks, RP114, RP321, OJ-12
Formica, S352
Formula (interferometer), S199
Forsterite, RP456
Fourdrinier wire, S410
Free turning rod, S410

G

Gilding, S410 Glasses, S393, S485, S521, RP219 boric oxide, RP1425 devitrified, RP1153 No. 790 (96 percent silica), RP1445 pyrex, RP626 soda - alumina-silica, RP702 soda-lime-silica, RP667 Vycor, RP1445 Glassware, chemical, RP1394, T107, OJ-29 Glazes, S485, RP1064, OJ-6, OJ-13 Gold, RP32 Gold-copper alloy, RP32 Gold-nickel alloy, RP32 Gold-silver alloy, RP32 Graphite, T335, RP693 Gun metal, S410 Gypsum fiber concrete, 0J-50

H

Halloysite, RP410 Heat-resisting alloys, RP388, RP1106 Heat-resisting steel No. 74, RP388 Hoskins' alloy No. 10, RP1106

I

Impression compound, dental, RP32, C433
Insulating materials, electrical, S352, T216
Invar, RP743, C58
Investments, dental, RP32, C433
Iron car wheels, T209
Iron, cast, S433, RP399, RP440, RP741, OJ-20
Iron-chromium alloys, S570, RP388
Iron-chromium-aluminum alloy, RP1106
Iron-chromium-aluminum-cobalt alloys, RP1106

Iron, effects of hydrogen, OJ-25 Iron, electrolytic, S433 Iron, "hydrogen point", OJ-25, OJ-39 Isoprene, RP951, OJ-52

Κ

Kanthal alloys, RP1106 Kaolins, RP410, RP1243, RP1311

L

Lead, RP399, RP500, OJ-20, OJ-33, OJ-43, OJ-61 Lead-antimony alloys, RP938 Leaded bronze, S410 Leaded low brass, S410 Leaded screw wire, S410 Length standards, RP743, C332 Limestones, S352, T349 Low brass, S410

M

M-M-M alloy, OJ-45
Magnesia, OJ-19
Magnesite, RP645
Magnesium, RP29, OJ-59
Magnesium alloys, RP29, OJ-59
Magnesium-aluminum alloys, RP29, OJ-59
Magnesium-aluminum-manganese alloys, RP29
Manganese bronze, S410
Marble, S352, T123, OJ-38
Masonry bricks, RP321
Mica, RP1311
Molybdenum, S332, S488
Monel metal, S426
Mortars, RP321
Mullite, RP410, RP562
Muntz metal, S410

N

Naval brass, S410
Nichrome, RP388
Nichrome IV, RP388
Nickel, S426, RP257
Nickel-chromium alloys, RP388
Nickel-chromium-iron alloys, RP388
Hickel-copper-tin-iron alloy, OJ-45
Nickel-manganese alloy, T155
Nickel steels, RP741, RP743, C58, OJ-37, OJ-41, OJ-48
Nirosta KA-2 and KA-2S, RP388

0

Olivine, RP645 Oxides, OJ-19

P

Phenol condensation products, S352, T216
Phenol-methylene materials, S352, T216
Phosphor bronze, S410
Plaster of paris, RP32, C433
Porcelains, S352, T155, OJ-1, OJ-2
Porcelain bodies, 'OJ-8
Porcelain, synthetic (dental), T157
Primer gilding, S410

Q

Quartz, fused, S524, OJ-4, OJ-28

R

Ruil steels, T38
Refractories, RP114, RP562, RP747, OJ-19
Rhodium, RP127
Rich low brass, S410
Rubber, RP1253, OJ-53
Rubber, amorphous, crystalline, RP717, OJ-51
Rubber, hard, S352
Rubber-sulphur compounds, S560, RP760

S

S.A.E. steels, OJ-31 Sagger bodies, RP104, RP387, RP827, 0J-16 Sagger clays, RP827, 0J-7, 0J-11 Shale bricks, RP321 Silica, S524, RP410, 0J-28 Silicates, RP456; dental cement, C433 Silicates, lead, RP705 Spark-plug electrode, T155 Special CNS steel, RP388 Spring brass, S410 Stainless iron, S570 Stainless iron type C2, RP388 Stainless steel, S426 Steels, S433, RP388, RP1269, OJ-22, OJ-23, OJ-31 Steel car wheels, T235 Steels, chromium-vanadium, RP1269 Steel rails, T38 Steel, structural, RP741 Stellite, S426

 \mathbf{T}

Tantalum, RP62, OJ-60
Teeth, T157, C433
Terra-cotta tile, S485
Thoria, RP1443, OJ-19
Thoria-zirconia, RP1443
Thorium, OJ-30
Tile, clay, RP37
Tile, hollow, S485
Tile, shale, RP37
Tin, RP399, OJ-20
Tophet A and C, RP388
Tungsten, S515, OJ-27
Tungsten carbide-cobalt mixtures, RP960, OJ-42

U

Uniloy 21-12, RP388 Uniloy-special 18-8, RP388

V

Verilite, S497

W

Waxes, inlay, RP32, C433
Wax, ozckerite base, RP308
Whiteware, OJ-18
Whiteware bodies, T310, RP1311
Whiteware, ceramic talcose, RP1371

Z

Zinc, S522, RP399, OJ-20 Zinc aluminate, RP456 Zinc orthosilicate, RP456 Zirconia, RP1443, OJ-19

